

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

Report Issued To :	Receipt Date	Analysis Start Date	Analysis End Date
GETCERT PRIVATE LIMITED	20-Feb-24	20-Feb-24	27-Feb-24
Office No. 204, 2nd Floor, Raj Mall, Anand Nagar, Nanded Maharashtra 431605			

Particulars of Sample Submitted :

Sample Name: Turmeric Fresh / Tuber
Test Reference: --
Quantity & packing: Approx 800 gm In Plastic Bag
Code No: --
Batch No: --
Other Information: Project / Client Code: GCPL/NPOP/CP/0007, Farmer /Sample Code: GCPL/NPOP/CP/0007/Tur/Tub-L, Place Of Collection: Malegaon, Date: 11/02/2024

Analysis Results :

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Lead (as Pb), mg/Kg	0.01	BLQ	RAL/CHE-FOOD/215A
Arsenic (as As), mg/Kg	0.01	BLQ	RAL/CHE-FOOD/215A
Tin (as Sn), mg/Kg	0.01	BLQ	RAL/CHE-FOOD/215A
Cadmium (as Cd), mg/Kg	0.01	BLQ	RAL/CHE-FOOD/215A
Mercury (as Hg), mg/Kg	0.01	BLQ	RAL/CHE-FOOD/215A
Copper (Cu), mg/Kg	0.1	BLQ	RAL/CHE-FOOD/215A

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
4-bromo-2-chlorophenol, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Alachlor, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Aldrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 1 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Atrazine , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bendiocarb , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bifenthrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Butachlor, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Captafol, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Captan, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlordane , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorfenapyr, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorfenvinphos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorothonil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorpyrifos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorpyrifos methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Beta Cyfluthrin (including other mixtures of constituent isomers sum of isomers), mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cypermethrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDD(TDE) -p,p', mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDD(TDE) -O,p', mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDE -o,p', mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDE -p,p', mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDT -o,p', mg/kg	0.01	BLQ	RAL/CHE-PR/30
DDT -p,p', mg/kg	0.01	BLQ	RAL/CHE-PR/30
3,4-Dichloroaniline, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Acephate , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Acifluorfen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Ametoctradin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Ametyrn, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Amitraz, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Amitrol, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Anilophos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Azimsulfuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 2 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Palav
SWATI PAL AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Azinophos-ethyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Azinophos-methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Azocyclotin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bentazone , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bifenazate , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bioresmethrin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bispyribac, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bromophos Ethyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bromopropylate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Buprofezin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Camphechlor(Toxaphene), mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carboxin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carfentrazone Ethyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorantraniliprole , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorimuron ethyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorobenzilate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorpropham, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chromafenozide, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cinmethylen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Clodinafop-propargyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Clomazone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cyantraniliprole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cyflumetofen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cyhalofop-butyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cyprodinil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Deltamethrin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Diazinon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dichlorvos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Diclofop , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Diclosulam, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 3 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Dicofol , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dieldrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Diflubenzuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dinoseb, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dinotefuran, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Disulfoton, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dithianon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Diuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Edifenphos , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Alpha endosulphan, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Beta-Endosulfan, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Endosulphan Sulphate , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Endrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Esfenvalerate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Ethion , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Ethiprole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Ethofenprox (Etofenprox) , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Etoxazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Etrimfos , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Famoxadone , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenamiphos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenazaquin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenbuconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenchlorphos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenhexamid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenitrothion , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenobucarb , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenoxaprop-p, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenprothrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenvalerate, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 4 of 11

ABane
AvantikaBane

Reviewed By

Swati
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Fluazifop-P, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fluchloralin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Flufenacet, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fluopyram, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fomesafen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Formothion , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Halosulfuron methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Haloxyfop-R Methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
HCH -delta, mg/kg	0.01	BLQ	RAL/CHE-PR/30
HCH-alpha, mg/kg	0.01	BLQ	RAL/CHE-PR/30
HCH-beta, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Heptachlor, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Hexaconazole , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Hexythiazox , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Imazalil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Imazethapyr, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Iprodione, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Flumethrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
lambda-Cyhalothrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Lindane , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Mepanipyrim, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Oxyfluorfen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Paraoxon methyl , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Parathion methyl , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Parathion ethyl , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pendimethalin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Permethrin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phoxim / Baythion, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pretilachlor, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Profenophos , mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 5 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Propanil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Propetamphos , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pymetrozine, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pyriproxyfen , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Quintozene, mg/kg	0.01	BLQ	RAL/CHE-PR/30
tau-Fluvalinate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tecnazene, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Telodrin (Isobenzan), mg/kg	0.01	BLQ	RAL/CHE-PR/30
Transfluthrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Mecarbam, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pyrethrins, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Imazamox, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pyridalyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Sulfentrazone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
THPI(TETRAHYDROPTHALIMIDE), mg/kg	0.01	BLQ	RAL/CHE-PR/30
Triacntanol, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Triallate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Abamectin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Acetamiprid , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Allethrin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Azoxystrobin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Benalaxyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Benfuracarb, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Benomyl , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bioallethrin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Bitertanol , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbaryl , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbendazim , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbofuran, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carbosulfan , mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 6 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Clothianidin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cyazofamid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Cymoxanil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Demeton-S methylsulfon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Diafenthiuron , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Difenoconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dimethoate , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dimethomorph , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Dodin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Emamectin benzoate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenamidone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenarimol, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenpyroximate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenthion, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenthion sulfone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fenthion Sulfoxide, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fipronil , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Flubendiamide, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Flufenoxuron , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fluopicolide, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Flusilazole , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Imidacloprid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Indoxacarb , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Iodosulfuron-methyl , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Iprobenfos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Iprovalicarb , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Isoprothiolane , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Isoproturon , mg/kg	0.01	BLQ	RAL/CHE-PR/30
kresomix methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Linuron , mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 7 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Lufenuron , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Malaoxon , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Malathion , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Mandipropamid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Metalaxyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Methamidophos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Methomyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Metolachlor , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Milbemectin , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Monocrotophos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Myclobutanil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Novaluron , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Omethoate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Oxadiazon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Oxydemeton- methyl (Demeton-s-methyl-Sulfoxide), mg/kg	0.01	BLQ	RAL/CHE-PR/30
Paclobutrazol , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Penconazole , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pencycuron , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phenthoate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phorate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phorate-sulfone , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phorate-sulfoxide, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phosalone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Phosphamidone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pirimiphos-methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Propamocarb, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Propargite , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Propiconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Propoxur, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 8 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pal AV
SWATI PAL AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Pyraclostrobin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Pyridaben, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Quinalphos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Simazine, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Spinosad, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Spirodiclofen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Spiromesifen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tebuconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Temephos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tetraconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiacloprid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiamethoxam, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiobencarb, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiodicarb, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiometon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Chlorfluazuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Mecoprop, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Methoxychlor, mg/kg	0.01	BLQ	RAL/CHE-PR/30
S-Metolachlor, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Strobane, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Teflubenzuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thidiazuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiophanate-methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Triadimefon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Triadimenol, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Triazophos, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Trichlorfon, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tricyclazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tridemorph, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Trifloxystrobin, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 9 of 11

ABane
AvantikaBane

Reviewed By

Swati
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832

Report Date : 27-Feb-24

ULR NO: TC585424000011477F

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Limit Of Quantification	Results	Method Of Analysis
Thiocyclam , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Boscalid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Epoxiconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fludioxonil, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Fluxapyroxad, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Metalaxyl-M, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Metconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Methidathion, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Metrafenone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Nitenpyram, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Oxamyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Picoxystorbin, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Prothioconazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Quinomethionate, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Quinoxifen, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Spinetoram, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Spirotetramat, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Spiroxamine, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tebufenozide, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tebufenpyrad, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiabendazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Thiobendazole, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Tolfenpyrad, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Avermectin B1a, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Carpropamid, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Ethoxysulfuron, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Flupyradifurone , mg/kg	0.01	BLQ	RAL/CHE-PR/30
Furathiocarb, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Hexazinone, mg/kg	0.01	BLQ	RAL/CHE-PR/30
Mesosulfuron Methyl, mg/kg	0.01	BLQ	RAL/CHE-PR/30

Print No : R58916300

Page 10 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / FV24020832
ULR NO: TC585424000011477F

Report Date : 27-Feb-24

RESIDUES IN FOOD PRODUCTS CHEMICAL TESTING

Tests	Units	Limit Of Quantification	Results	Method Of Analysis
Ethylene Oxide (ETO)	mg/kg	0.01	BLQ	RAL/CHE-PR/09
2 Chloro ethanol (ECH)	mg/kg	0.01	BLQ	RAL/CHE-PR/09
Ethylene Oxide (Sum of ethylene oxide and 2-Chloroethanol, expressed as Ethylene oxide)	mg/kg	0.01	BLQ	RAL/CHE-PR/09

Statement Of Conformity : -----

Opinion and Interpretation -----

Remark : *Statement of conformity is given on the basis of decision rule by not considering measurement of uncertainty.*

Note : Results pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the Technical Manager. Sample not drawn by RALPL representative. To check the authenticity of the report please visit "www.reliablelabs.org/Check-Report". Subject to Thane Jurisdiction. "BLQ" - Below Limit Of Quantification.



NABL Scope



Report

***** End Of Report *****

Print No : R58916300

Page 11 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Palav
SWATI PAL AV

Authorized Signatory