

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / SW24020105

Report Date : 02-Apr-24

ULR NO: TC585424000023624F

| Report Issued To : | Receipt Date | Analysis Start Date | Analysis End Date |
|--|--------------|---------------------|-------------------|
| GETCERT PRIVATE LIMITED | 29-Feb-24 | 29-Feb-24 | 01-Mar-24 |
| Office No. 204, 2nd Floor, Raj Mall, Anand Nagar, Nanded Maharashtra 431605 | | | |

Particulars of Sample Submitted :

Sample Name: Soil
Test Reference: --
Quantity & packing: Approx 500 gm in Plastic Bag
Code No: --
Batch No: --
Export Invoice No: --
Any Other Information / Expiry Date: Project / Client Code: GCPL/NPOP/OGG/0006, Farmer /Sample Code: SVFE-11/OGG/Soil/MF/L, Place Of Collection: Manori BK, Date: 06/02/2024

Analysis Results :

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|----------------------|-------------------------|---------|--------------------|
| 2,4-D ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Alachlor ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Aldrin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Atrazine ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Butachlor ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Chlorpyrifos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| DDD(TDE) -p,p',mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| DDD(TDE) -O,p',mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| DDE -o,p',mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| DDE -p,p',mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| DDT -o,p',mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| DDT -p,p',mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R64782118

Page 1 of 3

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / SW24020105
ULR NO: TC585424000023624F

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|--|-------------------------|---------|--------------------|
| Dieldrin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Endosulphan (All isomers, sum of alpha- and beta-isomers and endosulphan sulphate expressed as endosulphan) ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Ethion ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| HCH -delta,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| HCH-alpha,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| HCH-beta,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Isoproturon ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Lindane ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Malaoxon ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Malathion ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Monocrotophos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| Phorate(Phorate and its oxygen analogue i.e phoratesulfoxide and phoratesulphone),mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

| Tests | Units | Limit Of Quantification | Results | Method Of Analysis |
|---------------|-------|-------------------------|---------|--------------------|
| Arsenic as As | mg/kg | 0.01 | BLQ | RAL/CHE-FOOD/215A |
| Lead as Pb | mg/kg | 0.01 | BLQ | RAL/CHE-FOOD/215A |
| Cadmium as Cd | mg/kg | 0.01 | BLQ | RAL/CHE-FOOD/215A |
| Mercury as Hg | mg/kg | 0.01 | BLQ | RAL/CHE-FOOD/215A |
| Copper as Cu | mg/kg | 0.01 | BLQ | RAL/CHE-FOOD/215A |
| Tin as Sn | mg/kg | 0.01 | BLQ | RAL/CHE-FOOD/215A |

Statement Of Conformity : -----

Opinion and Interpretation -----

Print No : R64782118

Page 2 of 3

Avantika Bane
AvantikaBane

Reviewed By

Swati Palav
SWATI PAI AV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.
Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / SW24020105

Report Date : 02-Apr-24

ULR NO: TC585424000023624F

Remark : *Statement of conformity is given on the basis of decision rule by not considering measurement of uncertainty.*

Note : Results pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the Technical Manager. Sample not drawn by RALPL representative. To check the authenticity of the report please visit "www.reliablelabs.org/Check-Report". Subject to Thane Jurisdiction. "BLQ" - Below Limit Of Quantification.



NABL Scope



Report

***** End Of Report *****

Print No : R64782118

Page 3 of 3


AvantikaBane

Reviewed By


SWATI PAL AV

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

| Report Issued To : | Receipt Date | Analysis Start Date | Analysis End Date |
|---|--------------|---------------------|-------------------|
| GETCERT PRIVATE LIMITED | 29-Feb-24 | 29-Feb-24 | 01-Mar-24 |
| G.No. 10, Plot No. 01, Kanchanwadi, Kashmir Nagar, Pathan Road, Aurangabad | | | |
| Maharashtra 431005 | | | |

Particulars of Sample Submitted :

Sample Name: Soil
Test Reference: --
Quantity & packing: Approx 500 gm in Plastic Bag
Code No: --
Batch No: --
Export Invoice No: --
Any Other Information / Expiry Date: Project / Client Code: GCPL/NPOP/OGG/0006, Farmer /Sample Code: SVFE-11/OGG/Soil/MF/L, Place Of Collection: Manori BK, Date: 06/02/2024

Analysis Results :

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|--|-------------------------|---------|--------------------|
| *1-Naphthaleneacetamide & 1-Naphthyl acetic acid,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *4-bromo-2-chlorophenol,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *4-Chloro-3-methylphenol,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *4-Chlorophenoxyacetic Acid(4CPA),mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *6-Benzylaminopurine,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Abamectin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Acephate ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Acetamiprid ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Afidopyropen,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Allethrin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Ametoctradin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 1 of 11


AvantikaBane

Reviewed By


SWATI PAI AV

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|---|-------------------------|---------|--------------------|
| *Ametyrn,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Amisulbrom,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Anilophos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Azadirectin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Azoxystrobin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Benalaxyl & Benalaxyl-M,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bendiocarb ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Benomyl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bensulfuron Methyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bifenazate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bifenthrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bioallethrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bispyribac,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bitertanol ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Boscalid,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Bupirimate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Buprofezin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Captafol,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Captan,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *THPI(CIS-1,2,3,6-TETRAHYDROPTHALIMIDE),mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Carbaryl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Carbendazim ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Carbofuran,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Benfuracarb,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Furathiocarb,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Carboxin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Carfentrazone Ethyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 2 of 11


AvantikaBane

Reviewed By


SWATI PAI AV

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|-----------------------------|-------------------------|---------|--------------------|
| *Carpropamid,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorantraniliprole ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlordane ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorfenapyr ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorfenvinphos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorfluazuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorimuron ethyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorothonil,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorpropham,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chlorpyrifos methyl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Chromafenozide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cinmethylenemg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Clethodim,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Sethoxydim,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Clofentezine ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Clomazone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Clothianidin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Coumachlor,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Coumatetralyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyantraniliprole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyazofamid,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyenopyrofen,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyflufenamid ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyflumetofen,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyfluthrin-beta,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyhalofop-butyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cymoxanil,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cypermethrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 3 of 11

ABane
AvantikaBane

Reviewed By

Swati
SWATI PAI AV

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|----------------------------------|-------------------------|---------|--------------------|
| *Cyproconazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Cyprodinil,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dazomet ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Deltamethrin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Diafenthiuron ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Diazinon,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dichlorvos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Diclofop ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Diclosulam,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dicofol ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Difenoconazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Diflubenzuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dimethoate ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dimethomorph ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dinotefuran,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dithianon ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Diuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Dodin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Edifenphos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Emamectin benzoate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Endrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Epoiconazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Ethiprole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Ethofenprox (Etofenprox) ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Ethoxysulfuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Etoxazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Etrimfos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Famoxadone ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 4 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|---|-------------------------|---------|--------------------|
| *Fenamidone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenarimol,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenazaquin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenhexamid,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenitrothion ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenobucarb ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenoxaprop-p,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenpropathrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenpyroximate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenthion,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenthion sulfone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenthion Sulfoxide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fenvalerate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Esfenvalerate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fipronil ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flonicamid ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *TFNG-(4-(Trifluoromethyl)nicotinoyl glycine),mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *TFNA-{4-(trifluoromethyl)nicotinic acid},mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fluazifop-P,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flubendiamide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flucetosulfuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fluchloralin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fluensulfone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flufenacet,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flufenoxuron ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flufenazine,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flumioxazine,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 5 of 11


AvantikaBane

Reviewed By


SWATI PAI AV

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|-----------------------------|-------------------------|---------|--------------------|
| *Fluopicolide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fluopyram,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flupyradifurone ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Flusilazole ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fluthiacet-methyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fluxapyroxad,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Fomesafen,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Forchorenuron (CPPU),mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Halosulfuron methyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Haloxypop ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Heptachlor,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Hexaconazole ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Hexazinone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Hexythiazox ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Homobrassinolide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Imazamox,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Imazethapyr,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Imidacloprid ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Indaziflam,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Indoxacarb ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Iodosulfuron-methyl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Iprobenfos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Iprodione,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Iprovalicarb ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Isoprothiolane ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Kasugamycin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *kresomix methyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *lambda-Cyhalothrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 6 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|--------------------------------|-------------------------|---------|--------------------|
| *Linuron ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Lufenuron ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Mandipropamid,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Matrine & Oxymatrine,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metaflumizone ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metalaxyl & Metalaxyl M,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metamifop,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metamitron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Methabenzthiazuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Methamidophos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Methomyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Methoxyfenozide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metolachlor ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *S-Metholachlor,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metrafenone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Metribuzin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Milbemectin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Myclobutanil,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Nereistoxin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Nitenpyram,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Novaluron ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Omethoate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Orthosulfamuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Oxadiazon,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Oxathiapiprolin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Oxycarboxin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 7 of 11


AvantikaBane

Reviewed By


SWATI PAI AV

Authorized Signatory

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|--|-------------------------|---------|--------------------|
| *Oxydemeton- methyl (Demeton-s-methyl-Sulfoxide),mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Oxyfluorfen,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Paclobutrazol ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Paraoxon methyl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Parathion methyl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Parathion ethyl ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Penconazole ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pencycuron ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pendimethalin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Penoxuslum,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Permethrin ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Phenthoate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Phosalone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Phosphamidone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Picoxystorbin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pinoxaden,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pirimiphos-methyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pretilachlor,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Profenophos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Propamocarb,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Propanil,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Propargite ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Propetamphos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Propiconazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Propoxur,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pymetrozine,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pyraclostrobin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 8 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|-----------------------------|-------------------------|---------|--------------------|
| *Pyrazosulfuron ethyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pyridaben,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pyridalyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pyriproxyfen ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pyrithiobac Sodium,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Pyroxasulfone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Quinalphos,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Simazine ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Spinetoram,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Spinosad,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Spirodiclofen,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Spiromesifen ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Spirotetramat,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Sulfentrazone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Sulfosulfuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Sulfoxaflor,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *tau-Fluvalinate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tebuconazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tembotrione,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Temephos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tetraconazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thiabendazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thiacloprid ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thiamethoxam ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thifluzamide,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thiobencarb ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thiodicarb,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Thiometon ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Print No : R26379293

Page 9 of 11

AvantikaBane
AvantikaBane

Reviewed By

Swati Pai Av
SWATI PAI AV

Authorized Signatory

Reliable



Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org

TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

PESTICIDE RESIDUE

| Tests | Limit Of Quantification | Results | Method Of Analysis |
|---------------------------|-------------------------|---------|--------------------|
| *Thiophanate-methyl,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tolfenpyrad,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Topramezone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Transfluthrin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Triadimefon ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Triadimenol,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Triafamone,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Triallate,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Triasulfuron,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Triazophos ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Trichlorfon ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tricyclazole,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tridemefon,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Tridemorph ,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |
| *Trifloxystrobin,mg/kg | 0.01 | BLQ | RAL/CHE-PR/33 |

Statement Of Conformity : -----

Opinion and Interpretation -----

Print No : R26379293

Page 10 of 11


AvantikaBane

Reviewed By


SWATI PALAV

Authorized Signatory

Reliable

Analytical Laboratories Pvt. Ltd.

Bldg. No. 125-139, Indian Corporation Complex, Mankoli, Gundwali, Bhivandi., Thane (West)-421 302.

Phone:+91-2522-662 907 / +91-2522-662 908 Email: info@reliablelabs.org



TEST REPORT

Reference No : RAL / THW / SW24020105A

Report Date : 02-Apr-24

Remark : *Statement of conformity is given on the basis of decision rule by not considering measurement of uncertainty.*

Note : Results pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the Technical Manager. Sample not drawn by RALPL representative. To check the authenticity of the report please visit "www.reliablelabs.org/Check-Report". Subject to Thane Jurisdiction. "BLQ" - Below Limit Of Quantification.



***** End Of Report *****

Report

Print No : R26379293

Page 11 of 11


AvantikaBane

Reviewed By


SWATI PAL AV

Authorized Signatory